

La sostenibilidad de la dehesa, contextualizada

Pablo Manzano

bc3
BASQUE CENTRE
FOR CLIMATE CHANGE
Klima Aldaketa Ikergai
Sustainability, that's it!

- Beneficios a lo largo de múltiples dimensiones

- Deficientemente reconocidos



PeerJ

Herbivore corridors sustain genetic footprint in plant populations: a case for Spanish drove roads

Alfredo García-Fernández[1], Pablo Manzano[2,3,4], Javier Seoane[3], Francisco M. Azcárate[3], Jose M. Iriondo[1] and Begoña Peco[3]

[1] Área de Biodiversidad y Conservación, Universidad Rey Juan Carlos, Móstoles, Madrid, Spain
[2] Commission on Ecosystem Management, International Union for Conservation of Nature, Nairobi, Kenya
[3] Terrestrial Ecology Group—Departamento de Ecología, Centro de Investigación en Biodiversidad y Cambio Global (CIBC), Universidad Autónoma de Madrid, Madrid, Spain
[4] HELSUS, Faculty of Biological and Environmental Sciences, University of Helsinki, Helsinki, Finland



One Earth

Gold Standard for the Global Goals | 1 ton of CO_2 offset

CellPress

Perspective

Toward a holistic understanding of pastoralism

Pablo Manzano,[1,2,16] Daniel Burgas,[3,16] Luis Cadahía,[4,16] Jussi T. Eronen,[2,5,6] Álvaro Fernández-Llamazares,[1,2] Slimane Bencherif,[7] Øystein Holand,[8] Oula Seitsonen,[9,10] Bayarmaa Byambaa,[11] Mikael Fortelius,[12] María E. Fernández-Giménez,[13] Kathleen A. Galvin,[14,15] Mar Cabeza,[1,2,17,*] and Nils Chr. Stenseth[4,*]

[1]Global Change and Conservation Lab, Organismal and Evolutionary Biology Research Programme, Faculty of Biological and Environmental Sciences, University of Helsinki, P.O. Box 65, 00014 Helsinki, Finland
[2]Helsinki Institute of Sustainability Science (HELSUS), Faculty of Biological and Environmental Sciences, University of Helsinki, P.O. Box 65, 00014 Helsinki, Finland
[3]Department of Biological and Environmental Sciences, University of Jyväskylä, 40014 Jyväskylä, Finland
[4]Centre for Ecological and Evolutionary Synthesis (CEES), Department of Biosciences, University of Oslo, P.O. Box 1066 Blindern, 0316 Oslo, Norway
[5]Ecosystems and Environment Research Programme, Faculty of Biological and Environmental Sciences, University of Helsinki, P.O. Box 65, 00014 Helsinki, Finland
[6]BIOS Research Unit, 00170 Helsinki, Finland
[7]Faculty of Nature and Life Sciences, Department of Agronomic and Veterinary Sciences, University of Djelfa, P.O. Box 3117, 17000 Djelfa, Algeria
[8]Faculty of Biosciences, Norwegian University of Life Sciences, 1430 Ås, Norway
[9]Archaeology, Faculty of Humanities, University of Oulu, 90570 Oulu, Finland
[10]Cultural Heritage Studies, Faculty of Arts, University of Helsinki, 00100 Helsinki, Finland
[11]Chair of Land Management, Department of Aerospace and Geodesy, Technical University of Munich, 80333 Munich, Germany
[12]Department of Geosciences and Geography, University of Helsinki, 00014 Helsinki, Finland
[13]Department of Forest & Rangeland Stewardship, Colorado State University, Fort Collins, CO 80523, USA
[14]Department of Anthropology and Geography, Colorado State University, Fort Collins, CO 80523, USA
[15]The Africa Center, Colorado State University, Fort Collins, CO 80523, USA
[16]These authors contributed equally
[17]Lead contact
*Correspondence: mar.cabeza@helsinki.fi (M.C.), n.c.stenseth@mn.uio.no (N.C.S.)

https://doi.org/10.1016/j.oneear.2021.04.012



Modelos positivos de gestión del territorio



https://www.fao.org/3/av151e/av151e.pdf

Problemas:

- Limitaciones de servicios ambientales propuestos
- Hincapié de discusiones políticas en otros aspectos
- Sostenibilidad social

Secuestro de C potencial



Fuente: https://www.youtube.com/watch?v=nub7pToY3jU&t=18s



https://www.eca.europa.eu/Lists/ECADocuments/SR22_09/SR_Climate-mainstreaming_EN.pdf



https://www.eca.europa.eu/Lists/ECADocuments/SR21_16/SR_CAP-and-Climate_EN.pdf

- Elevada huella de metano
- Se ignora el papel de los herbívoros silvestres
- Importancia de la huella de combustible fósil



https://doi.org/10.3354/cr01555

https://redremedia.org/niveles-de-referencia-en-sistemas-ganaderos-claves-para-identificar-impactos/



Figure 2: Typology of European livestock production areas (Source INRA based on Eurostat, 2010)

Fuente:
ATF Vision Paper – February 2019
http://animaltaskforce.eu/Portals/0/ATF_Vision_Paper_2019.pdf







Trayectoria de colapso

Sectorial, unidisciplinaria

INTERVENCIONES

Holística



Pérdidas críticas
Peligro persistente de colapso



Se evitan pérdidas y peligro de colapso

https://doi.org/10.1016/j.oneear.2021.04.012

https://elpais.com/planeta-futuro/2021-07-01/dejar-de-observar-el-pastoreo-para-pasar-a-entenderlo.html

Futuro

- Fin de los combustibles fósiles
- Cambiar la contabilidad del metano biogénico
- Valores ambientales en el centro del debate
- Incorporación de población – desde otros orígenes sociales?

Gracias por su atención
Obrigado pela atençao

+ info:



@PabloPastos